

CONSUMER INFORMATION ON:

- **Cargo Weight Rating**
- **Center of Gravity**

for 2016

**RAM
TRUCKS**

Camper Application

2016

Consumer Information

Ram Trucks for

Camper Application

Under the authority of the National Traffic and Motor Vehicle Safety Act, the National Highway Traffic Safety Administration (NHTSA) has established certain requirements concerning trucks capable of accommodating slide-in campers. Manufacturers of such trucks are required to provide, "... the cargo weight rating and the longitudinal limits within which the center of gravity should be located."

This booklet is a compilation of that data. It is designed for the use and guidance of prospective purchasers who intend to use Ram light-duty pickup trucks to carry slide-in campers and related equipment.

Because conditions of improper load distribution or overloading can have adverse effects on vehicle steering and braking ... possibly resulting in accidents ... knowledge of the cargo weight rating and location of the center of gravity should be important factors to the prospective purchaser of any truck-camper combination.

In keeping with governmental requirements, this information must be maintained in truck dealerships and must be made available to all prospective purchasers who request it. If it becomes necessary to revise this information during a model year, dealers are responsible for making such revisions available to the public.

FCA US LLC

.....

EXCLUSIONS:

The following Ram Truck models are **NOT** recommended for slide-in camper applications:


RAM

- All Ram 2500 Power Wagon models.

**Additional copies of this
publication are available
at no cost from:**

**FCA US LLC
P.O. Box 3189
Highland Park, Michigan 48203**

CONSUMER INFORMATION: TRUCK-CAMPER LOADING



The tables on the following pages designate the Cargo Weight Rating and the Center of Gravity Zone for each vehicle listed.

- **CARGO WEIGHT RATING (CWR)** for a given truck model is the cargo capacity, in pounds, excluding the weight of occupants in the cab of the vehicle.
- **CENTER OF GRAVITY (CG) ZONE** is the area BETWEEN the forward limit dimension "A", and the rearward limit dimension "B" ... both measured in inches from the rear end of the truck bed or pickup box (see illustration above).
- When the truck is used to carry a slide-in camper, the total cargo load of the truck consists of the manufacturer's camper weight figure, the weight of installed additional camper equipment not included in the manufacturer's camper weight figure, the weight of camper cargo, and the weight of passengers in the camper. The total cargo load should not exceed the truck's cargo weight rating and the camper's center of gravity should fall within the truck's recommended center of gravity zone when installed.
- Secure loose items to prevent weight shifts that could affect the balance of your vehicle. When the truck camper is loaded, drive to a scale and weigh on the front and on the rear wheels separately to determine axle loads. Individual axle loads should not exceed either of the gross axle weight ratings (GAWR). The total of the axle loads should not exceed the gross vehicle weight rating (GVWR). These ratings are given on the vehicle certification label that is located on the left side of the vehicle, normally the dash, hinge pillar, door latch post, or door edge next to the driver. If weight ratings are exceeded, move or remove items to bring all weights below the ratings.

USING THE TABLES:

- At the top of each page are descriptions of the truck models; wheelbase; type of cab; size of pickup box; style of seats; and the gross vehicle weight rating (GVWR) applicable to the truck.
- Sub-headings classify the CWR and CG zone dimensions based on engine types available. Under the "options" column, items of optional equipment (related to the vehicle's intended use) are listed in various combinations, indicating their influence on CWR figures.
- When reading the tables, you will notice that, as more optional equipment is added to the base vehicle (reading down from line 1 to line 8), the CWR is decreased due to the additional weight of the options. At the same time, the size of the CG zone changes due to the LOCATION of the added weight.

INSTALLING THE CAMPER:

- The center of gravity (CG) of the loaded camper, as determined and marked by the camper manufacturer, must fall within the CG zone of the truck (see illustration above).
- The total weight of the fully-equipped camper, furnished by the camper manufacturer, should not exceed the CWR of the truck. After the camper and auxiliary equipment is installed, proper loading should be verified on an accurate truck scale before putting the vehicle into service.
- Be sure the gross vehicle weight rating (GVWR) of the truck is not exceeded and that the loading on front and rear axle systems does not exceed their respective gross axle weight ratings (GAWR).

NOTE: GVWR and GAWR data for the truck appears on the Safety Certification label, located on the door-latch post, on the driver's side.

**2016
RAM 1500
CAMPER GUIDE**

Model Ram 1500 4X2 HFE (High Fuel Economy)

3.0L DIE Engine

Cab (Box) Seats Quad Cab 6'4" Box Bench

GVWR (lbs) 6945

Model not recommended for slide-in camper application

Model Ram 1500 4X2 HFE (High Fuel Economy)

3.6L V6 W/ESS Engine

Cab (Box) Seats Reg Cab 6'4" Box Bench

GVWR (lbs) 6010

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star

3.6L V6 Engine

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star

3.6L V6 Engine

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star

3.0L DIE Engine

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star

3.0L DIE Engine

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star

3.0L DIE Engine

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6950
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6800
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6800
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6900
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6900
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bench
 GVWR (lbs) 6025
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bucket
 GVWR (lbs) 6025

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
961.5999756	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Reg Cab 6'4" Box Bench
GVWR (lbs)	6350
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Reg Cab 6'4" Box Bucket
GVWR (lbs)	6350

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1012.219971	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 3.6L V6 Engine
Cab (Box) Seats	Reg Cab 8' Box Bench
GVWR (lbs)	6600

BENCH

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1093.380005	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 3.6L V6 Engine
Cab (Box) Seats	Reg Cab 8' Box Bucket
GVWR (lbs)	6600

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1219.290039	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Reg Cab 8' Box Bench/Bucket
GVWR (lbs)	6600
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	6600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1012.22998	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	6600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1110.890015	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket	
GVWR (lbs)	6800	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket	
GVWR (lbs)	6950	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket	
GVWR (lbs)	6800	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket	
GVWR (lbs)	6900	
Model not recommended for slide-in camper application		

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench
 GVWR (lbs) 6900
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bench
 GVWR (lbs) 6025
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
5.7L V8 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bench
 GVWR (lbs) 6350

BENCH

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
954.3900146	75.0 / 190.5	25 / 63.5

Model Ram 1500 4X2 ST, Tradesman, Express
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 8' Box Bench
 GVWR (lbs) 6600

BENCH

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1136.630005	75.0 / 190.5	25 / 63.5

Model Ram 1500 4X2 ST, Tradesman, Express
3.0L DIE Engine
 Cab (Box) Seats Reg Cab 8' Box Bench
 GVWR (lbs) 6600
 Model not recommended for slide-in camper application

Model	Ram 1500 4X2 ST, Tradesman, Express 5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	6600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
993.7800293	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 ST, Tradesman, Express 3.0L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	6800	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X2 ST, Tradesman, Express 3.0L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	6950	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X2 ST, Tradesman, Express 5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	6800	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X2 ST, Tradesman, Express 5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	6900	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X2 ST, Tradesman, Express 3.6L V6 Engine	
Cab (Box) Seats	Crew Cab 5'7" Box Bench	
GVWR (lbs)	6800	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X2 ST, Tradesman, Express 3.0L DIE Engine	
Cab (Box) Seats	Crew Cab 5'7" Box Bench	
GVWR (lbs)	6800	
Model not recommended for slide-in camper application		

Model Ram 1500 4X2 ST, Tradesman, Express
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.0L DIE Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited
3.0L DIE Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Reg Cab 6'4" Box Bucket
GVWR (lbs) 6200
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6200
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6200
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Rebel
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Rebel
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Rebel
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Rebel
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model	Ram 1500 4X4 Rebel 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.6L V6 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.6L V6 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6800
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6800
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6900
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6900
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bench
 GVWR (lbs) 6300
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bucket
 GVWR (lbs) 6300

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
971.1900024	75.0 / 190.5	25 / 63.5

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6350
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 8' Box Bench
 GVWR (lbs) 6600
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 8' Box Bucket
 GVWR (lbs) 6600

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1000.5	75.0 / 190.5	25 / 63.5

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
 Cab (Box) Seats Reg Cab 8' Box Bench/Bucket
 GVWR (lbs) 6600
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Reg Cab 8' Box Bench/Bucket
 GVWR (lbs) 6600
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
 Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6800
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
 Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6800
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
 Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6950
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.6L V6 Engine
Cab (Box) Seats Reg Cab 6'4" Box Bench
GVWR (lbs) 6300
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Reg Cab 6'4" Box Bench
GVWR (lbs) 6350
Model not recommended for slide-in camper application

Model	Ram 1500 4X4 ST, Tradesman, Express 3.6L V6 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	6600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
962.2000122	75.0 / 190.5	25 / 63.5

Model Ram 1500 4X4 ST, Tradesman, Express
3.0L DIE Engine

Cab (Box) Seats Reg Cab 8' Box Bench

GVWR (lbs) 6600

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine

Cab (Box) Seats Reg Cab 8' Box Bench

GVWR (lbs) 6600

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.0L DIE Engine

Cab (Box) Seats Crew Cab 6'4" Box Bench

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.0L DIE Engine

Cab (Box) Seats Crew Cab 6'4" Box Bench

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine

Cab (Box) Seats Crew Cab 6'4" Box Bench

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine

Cab (Box) Seats Crew Cab 6'4" Box Bench

GVWR (lbs) 6900

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.0L DIE Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.0L DIE Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited
3.0L DIE Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Reg Cab 6'4" Box Bucket
GVWR (lbs) 6350
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SSV
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SSV
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Rebel
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Rebel
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Rebel
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Rebel
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Rebel
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Rebel
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

**2016
RAM 2500
CAMPER GUIDE**

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
		27.52000046 /
3293.7	75 / 190.5	69.90080116

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
		31.89999962 /
3448.5	75 / 190.5	81.02599903

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
		25 / 63.5
3211.4	75 / 190.5	

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
		27.53000069 /
3352.9	75 / 190.5	69.92620174

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2284.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2520.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2183.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2419.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2363.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2504.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1956.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2109.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1854.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2008.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1075.1	62.36999893 / 158.4197973	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1292.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
	/	
973.7	64.45999908 163.7283977	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1190.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1028.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1182.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2303.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2451.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2202.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2349.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1351.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1557.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1250.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1456.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1390.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1537.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2130.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2277.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1994.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2142.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1189.9	65.41000366 / 166.1414093	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1400.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1157.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1300.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1164.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1311.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
		50.45000076 /
3384.2	75 / 190.5	128.1430019

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
		28.64999962 /
3342.2	75 / 190.5	72.77099903

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
		28.85000038 /
3350.2	75 / 190.5	73.27900097

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
		46.34999847 /
3284.2	75 / 190.5	117.7289961

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3242.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3250.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2442.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2400.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2408.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2342.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2300.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2308.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2458.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2416.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2424.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2522.6	75 / 190.5	30.64999962 / 77.85099903

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2480.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2488.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2422.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2380.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2388.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1577.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1535.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1543.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1489.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1447.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1455.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1609.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1567.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1575.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2352.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2310.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2318.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2252.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2210.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2218.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
	72.33999634	/
1390.8	183.7435907	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
	70.63999939	/
1348.8	179.4255984	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
	70.98000336	/
1356.8	180.2892085	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
	75 / 190.5	
1359.9	25 / 63.5	

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1317.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1325.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1419.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1377.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1385.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2012.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2164.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1912.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2064.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1060.2	68 / 172.72	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1275.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
960.2	70.88999939 /	25 / 63.5
	180.0605984	

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1175.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1084.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1236.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2342.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2493.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2242.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2393.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1358.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1568.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1258.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1468.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1416.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1567.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2101.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2253.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2001.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2153.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1173.4	62.54000092 / 158.8516023	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1387.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1073.4	64.43000031 / 163.6522008	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1287.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1171.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1322.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2146.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2046.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1189.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1089.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1118.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2312.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2312.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1484.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1388.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1486.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2192.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2092.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1282.4	74.87999725 /	25 / 63.5
	190.195193	

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1182.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1262.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2884.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3026.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2783.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2924.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1947.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2167.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1845.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2066.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1963.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2104.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1675.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1828.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1573.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1727.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
934.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench/Bucket	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench/Bucket	
GVWR (lbs)	9000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1950.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2097.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1849.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1996.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1029.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1233.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
932.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1138.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1035.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1182.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1731.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1878.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1630.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1777.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1022.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
921.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 169.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
967.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
		37.65000153 /
2980.5	75 / 190.5	95.63100388

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3130.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3088.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
		32.72999954 /
2887.3	75 / 190.5	83.13419884

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3037.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2995.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2039.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2189.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1997.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1939.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2089.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1897.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2066.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2216.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2174.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	8510	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2164.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2764.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2122.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2037.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2637.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2595.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1243.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1843.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1201.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1143.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1743.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1701.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1275.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1875.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1833.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1953.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2553.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2511.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1853.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2453.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2411.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
	/	
1031.8	74.86000061 190.1444016	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1631.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1589.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
998.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1598.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1556.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1048.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1648.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1606.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1650.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1802.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1550.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB 6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1702.9	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
920.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench/ Bucket	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB 5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench/ Bucket	
GVWR (lbs)	9000	
Model not recommended for slide-in camper application /Bucket		

Model	Ram 2500 4X4 149.5 in. WB 6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	8510	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1970.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2121.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1870.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2021.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1029.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1237.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
938.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1149.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1027.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1179.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1728.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1880.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1628.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1780.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1042.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
944.1	75 / 190.5	25 / 63.5
Model	Ram 2500 4X4 169.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 169.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
962.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1766.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1666.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
941.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2038.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1938.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1185.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1085.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	5.7L V8 HEMI Gas Engine	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1147.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1819.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1719.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL Engine	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
977.3	75 / 190.5	25 / 63.5

Model Ram 2500 4X4 169.5 in. WB
6.7L I6 CUMMINS TURBO DIESEL Engine
Cab (Box) Seats Crew Cab, Long, 8 foot Box Bucket
GVWR (lbs) 9900
Model not recommended for slide-in camper application

Model Ram 2500 4X4 169.5 in. WB
5.7L V8 HEMI Gas Engine
Cab (Box) Seats Crew Cab, Long, 8 foot Box Bucket
GVWR (lbs) 9000
Model not recommended for slide-in camper application

**2016
RAM 3500
CAMPER GUIDE**

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10200	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3523	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10200	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3666	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6238	75.0 / 190.5	34.7 / 88.1

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6380	75.0 / 190.5	36.7 / 93.2

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6638	75.0 / 190.5	43.6 / 110.8

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6780	75.0 / 190.5	45.3 / 115.1

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3413	73.3 / 186.3	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3555	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5922	58.2 / 147.8	30.3 / 76.9

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6064	59.8 / 151.8	32.5 / 82.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3474	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3617	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5572	71.9 / 182.7	33.2 / 84.4

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5712	73.7 / 187.1	35.9 / 91.2

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11200	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3373	75.0 / 190.5	32.3 / 82.1

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11200	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	36.7 / 93.2

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11600	
	<u>BENCH</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	51.6 / 131.1	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11600	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	56.1 / 142.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4706	45.8 / 116.4	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4845	48.6 / 123.4	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3244	72.3 / 183.8	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3383	75.0 / 190.5	28.1 / 71.4

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2813	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	25.0 / 63.5
2967		

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	58.3 / 148.0	25.0 / 63.5
2844		

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	61.7 / 156.7	25.0 / 63.5
2998		

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	25.0 / 63.5
2874		

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	25.0 / 63.5
3028		

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3265	75.0 / 190.5	25.3 / 64.3

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3419	75.0 / 190.5	30.8 / 78.1

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5814	72.6 / 184.4	36.4 / 92.4

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5967	74.5 / 189.2	39.2 / 99.6

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5114	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5267	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3141	47.6 / 121.0	25.2 / 64.1

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3295	52.3 / 132.7	30.9 / 78.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4775	46.0 / 116.8	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4928	49.1 / 124.7	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3235	74.6 / 189.6	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3388	75.0 / 190.5	28.3 / 71.9

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6744	75.0 / 190.5	46.8 / 118.8

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10200	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3514	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6244	75.0 / 190.5	35.9 / 91.2

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6644	75.0 / 190.5	44.8 / 113.7

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3395	73.3 / 186.3	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5912	59.5 / 151.1	31.5 / 80.0

Model	Ram 3500 4X2 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3467	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2939	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2940	58.8 / 149.4	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3000	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3357	75.0 / 190.5	28.0 / 71.0

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5913	73.9 / 187.8	38.3 / 97.4

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5213	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3270	50.3 / 127.8	28.8 / 73.2

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4946	48.0 / 121.9	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3346	75.0 / 190.5	28.1 / 71.3

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5589	70.2 / 178.3	31.6 / 80.3

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5756	72.3 / 183.6	34.8 / 88.5

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11200	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3295	75.0 / 190.5	29.9 / 75.8

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11200	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3462	75.0 / 190.5	35.3 / 89.6

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4989	73.8 / 187.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5156	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2665	49.5 / 125.8	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2832	55.0 / 139.7	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4714	45.3 / 115.2	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4881	48.7 / 123.6	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3166	70.8 / 179.8	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3333	74.4 / 188.9	26.5 / 67.4

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2808	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2970	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2849	56.8 / 144.3	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3011	61.0 / 154.9	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2869	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3031	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3269	75.0 / 190.5	27.1 / 68.8

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3430	75.0 / 190.5	33.1 / 84.2

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5832	73.0 / 185.3	36.9 / 93.6

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5993	75.0 / 190.5	40.1 / 101.8

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5132	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5293	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3150	47.6 / 120.8	25.2 / 64.1

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3311	52.8 / 134.2	31.6 / 80.2

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4829	45.7 / 116.2	25.0 / 63.5

Model	Ram 3500 4X2 Laramie 6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	49.3 / 125.2	25.0 / 63.5

Model	Ram 3500 4X2 Laramie 5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie 5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	30.7 / 77.9

Model	Ram 3500 4X2 Longhorn, Laramie Limited 6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13900	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	73.1 / 185.6	35.2 / 89.3

Model	Ram 3500 4X2 Longhorn, Laramie Limited 6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11200	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	33.5 / 85.1

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5086	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2790	55.4 / 140.6	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4846	47.5 / 120.6	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3242	73.6 / 186.9	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2970	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2937	61.4 / 155.9	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2991	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3410	75.0 / 190.5	30.0 / 76.1

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5951	73.4 / 186.5	38.0 / 96.6

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5251	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3332	52.0 / 132.0	30.9 / 78.4

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4933	49.7 / 126.2	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3381	75.0 / 190.5	27.5 / 69.8

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6193	73.2 / 185.8	37.0 / 94.1

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6335	74.3 / 188.7	39.0 / 99.1

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3245	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3388	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5793	75.0 / 190.5	27.0 / 68.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5935	75.0 / 190.5	29.3 / 74.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3319	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3462	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5442	66.1 / 168.0	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5584	67.6 / 171.8	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3247	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3389	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5380	65.8 / 167.2	27.1 / 68.9

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5519	67.8 / 172.1	30.0 / 76.3

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3173	75.0 / 190.5	26.6 / 67.6

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3312	75.0 / 190.5	31.5 / 80.0

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4680	69.6 / 176.8	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4819	71.7 / 182.2	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2893	60.2 / 153.0	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3032	64.0 / 162.6	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4253	54.3 / 137.8	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4392	57.1 / 145.0	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3165	74.3 / 188.7	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3305	75.0 / 190.5	28.8 / 73.1

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2688	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10800	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2842	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2574	71.7 / 182.2	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2729	74.8 / 189.9	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2654	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2808	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5332	65.5 / 166.3	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5485	67.8 / 172.1	27.8 / 70.7

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3062	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3215	75.0 / 190.5	25.2 / 64.0

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4632	69.0 / 175.3	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4785	71.5 / 181.6	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2970	58.1 / 147.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3124	62.5 / 158.6	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4339	54.0 / 137.1	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4493	57.2 / 145.2	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3047	72.3 / 183.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3201	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6171	72.8 / 184.9	36.6 / 92.9

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3221	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5771	74.9 / 190.3	26.4 / 67.2

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3335	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5428	65.8 / 167.3	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3222	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2818	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2705	72.7 / 184.6	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2786	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5466	66.7 / 169.5	26.7 / 67.7

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3199	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4766	70.3 / 178.7	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3104	60.7 / 154.1	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4488	55.6 / 141.3	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3164	74.1 / 188.1	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5372	65.1 / 165.3	26.3 / 66.8

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5539	67.4 / 171.2	29.8 / 75.7

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3079	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3246	75.0 / 190.5	29.5 / 74.9

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4672	68.8 / 174.7	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4839	71.3 / 181.1	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2831	58.6 / 148.9	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2998	63.3 / 160.8	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4265	54.1 / 137.4	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4432	57.4 / 145.8	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3049	72.6 / 184.3	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3216	75.0 / 190.5	26.4 / 67.1

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2648	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10800	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2810	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2545	70.5 / 179.1	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2707	74.3 / 188.7	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2658	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2819	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5411	65.3 / 165.9	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5572	67.9 / 172.6	28.6 / 72.7

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3128	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3289	75.0 / 190.5	27.8 / 70.7

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4711	68.8 / 174.7	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4872	71.6 / 181.9	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2974	57.6 / 146.3	25.0 / 63.5

Model	Ram 3500 4X4 Laramie 6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	62.7 / 159.2	25.0 / 63.5

Model	Ram 3500 4X4 Laramie 6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	53.8 / 136.6	25.0 / 63.5

Model	Ram 3500 4X4 Laramie 6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	57.4 / 145.8	25.0 / 63.5

Model	Ram 3500 4X4 Laramie 5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	71.4 / 181.4	25.0 / 63.5

Model	Ram 3500 4X4 Laramie 5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5494	66.8 / 169.7	28.9 / 73.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3186	75.0 / 190.5	27.7 / 70.3

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4794	70.7 / 179.5	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2967	63.6 / 161.5	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4407	57.0 / 144.8	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3167	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10800	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2787	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2696	74.4 / 189.1	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2790	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5496	67.9 / 172.4	28.0 / 71.1

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3241	75.0 / 190.5	26.0 / 65.9

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4796	71.6 / 181.9	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3074	62.2 / 158.0	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4497	57.3 / 145.6	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3160	75.0 / 190.5	25.0 / 63.5

FCA US LLC

16CMP-826-ENG-AA



Printed in U.S.A.